



**TAIWAN HEAD OFFICE 臺灣總公司**

Add: No.23-7, Lane 130, Shenzhou Rd.,  
Shengang Dist., Taichung City,  
臺中市神岡區神州路130巷23-7號  
Tel: 886-4-25289970  
Fax: 886-4-25289925  
E-mail: taiwan@dingshen.com.tw

**DING-SHEN 鼎聖實業**

Add: Xiangxi Industrial Park, Liaobu Town,  
Dongguan City, Guangdong, China.  
廣東省東莞市寮步鎮向西工業區  
Tel: 86-769-83308512  
Fax: 86-769-83301341  
E-mail: china@dingshen.com.tw

**MAO-SHEN 寶聖機械**

Add: Xiangxi Industrial Park, Liaobu Town,  
Dongguan City, Guangdong, China.  
廣東省東莞市寮步鎮向西工業區  
Tel: 86-769-83260251  
Fax: 86-769-83301341

**Indonesia 印尼分公司**

Jakarta 雅加達  
Jl.Raya Imam Bonjol Blok A1/1, Ruko Victoria  
Park, Karawaci, Tangerang  
Tel: 6221-55773652 Fax: 6221-55770814

**CHINA OFFICE 中國大陸各分公司**

**Pingzhou 平洲分公司**  
Tel: 86-757-86719800 Fax: 86-757-86719860

**Huidong 惠東分公司**  
Tel: 86-752-8651646 Fax: 86-752-8651646

**Jinjiang 晉江分公司**  
Tel: 86-595-85636355 Fax: 86-595-85636355

**Wenzhou 溫州分公司**  
Tel: 86-577-86700896 Fax: 86-577-86700896

**Shandong 山東分公司**  
Tel: 86-532-82508181 Fax: 86-532-82508181

**Chengdu 成都分公司**  
Tel: 86-28-85005002 Fax: 86-28-85005009

**Shenyang 沈陽分公司**  
Tel: 86-24-62137015 Fax: 86-24-62137015

**Vietnam 越南分公司**

Hochiminh 胡志明市  
Tel: 84-8-39616690 Fax: 84-8-39616685  
Hai-Phong 海防市  
Xom 1, Duong Bao, Du Hang Kenh, An Hai, Phong City  
Tel: 84-903-204395 Fax: 84-31-763887

 **鼎聖機械**  
**DING-SHEN MACHINE**



**創新 · 規劃 · 服務**

*Innovation · Planning · Service*

 **鼎聖機械有限公司**  
**DING-SHEN MECHANICAL CO., LTD.**

DS-928TB 渦流式真空加熱定型機  
VACUUM TURBOJET



特點 FEATURES

- 此渦流式真空加熱定型機通過三段特別的處理步驟來保證高質量的定型，適用於男鞋，女鞋，運動鞋及馬靴。

The vacuum heat setter VTJ is particular 3 steps treatment, ensures a best effect of setting. It suit both men shoes, women shoes, sports shoes and boot.

規格 SPECIFICATION

機 型 MODEL	DS-928TB
機械尺寸 DIMENSION	L4800xW1600xH1900 mm
淨 重 N.W.	3070 KG
總 電 力 TOTAL POWER	46 KW
一般鞋類/平底鞋 每日最大產量/雙 Shoes, Boots	2300-2700 Pairs/8hr
長筒靴 每日最大產量/雙 Riding, Boots	1100-1400 Pairs/8hr

DS-914TW 渦流迴轉式真空加熱定型機  
TURBO VACUUM HEAT-SETTING MACHINE



特點 FEATURES

- 採用高溫高壓蒸汽配以真空噴射至鞋面，達到非常好的定型效果；設兩個處理箱，其真空加熱時間長。

Accompanied by high temperature and high pressure steam jet vacuum to the vamp, to achieve good styling effect; set up two processing boxes, extend vacuum heating time.

規格 SPECIFICATION

機 型 MODEL	DS-914TW-B
機械尺寸 DIMENSION	L2000xW2000xH1840mm
總 電 力 TOTAL POWER	20.7 KW
產 量 PRODUCTIVITY	1200-1600 Pairs/8hr

DS-914AT 先進四箱迴轉式真空加熱定型機  
ROTARY VACUUM HEAT-SETTING MACHINE



特點 FEATURES

- 鞋面蒸濕加熱在密封真空室裡完成，通過蒸汽罐加熱產生的高溫高壓蒸汽噴射鞋面，完成蒸濕加熱平整定型的效果，非常出色。

The vacuum heat setter VTJ is particular 3 steps treatment, ensures a best effect of setting. It suit both men shoes, women shoes, sports shoes and boot.

規格 SPECIFICATION

機 型 MODEL	TYPE-A	TYPE-B
機械尺寸 DIMENSION	L1650xW1400xH1610mm	L2150xW1650xH1840mm
總 電 力 TOTAL POWER	19 KW	24.5 KW
產 量 PRODUCTIVITY	600-900 Pairs/8hr	900-1200 Pairs/8hr

DS-916A/918A 高效率真空加熱定型機  
THE LATEST VACUUM VULCANIZING MACHINE



特點 FEATURES

- 採用蒸汽噴霧裝置，先噴濕鞋面，然後快速加熱乾燥，再由真空定型按摩鞋面。

Use steam spray device to spraying and wet vamp, speed up to dry and heat, and use a vacuum massage the vamp.

規格 SPECIFICATION

機 型 MODEL	DS-916A 6箱式大型	DS-918A 8箱式大型
機械尺寸 DIMENSION	L4900xW1520xH2020mm	L6300xW1520xH2020mm
淨 重 N.W.	2200kg	2800kg
總 電 力 TOTAL POWER	27KW	31KW
產 量 PRODUCTIVITY	一般鞋類/平底鞋: 1600-2000雙 長筒靴/馬鞍鞋/最大產量 600-1000雙	一般鞋類/平底鞋: 2300-2700雙 長筒靴/馬鞍鞋/最大產量 1150-1400雙



DS-926i 高效率蒸汽加熱定型機  
EFFICIENT STEAM AND HEAT SETTING MACHINE



特點 FEATURES

- ◎ 機台採用獨特設計之蒸汽再對流原理，使蒸汽能快速滲透鞋面內部，迅速將鞋面加熱定型。

With special design theory of steam reflowing, it makes steam penetrate the inner vamp and heat setting quickly.

規格 SPECIFICATION

機 型 MODEL	TYPE-A	TYPE-B	TYPE-C
機械尺寸 DIMENSION	L2800xW1200xH1400mm	L3500xW1200xH1400mm	L4500xW1200xH1400mm
總 電 力 TOTAL POWER	16.8 KW	22.8 KW	32.5 KW
產 量 PRODUCTIVITY	1000-1500 Pairs/8hr	1500-2000 Pairs/8hr	2000-2500 Pairs/8hr

DS-926A 高效率蒸汽加熱定型機  
EFFICIENT STEAM AND HEAT SETTING MACHINE



特點 FEATURES

- ◎ 本機採用蒸汽罐加溫產生高溫高壓蒸汽噴到機體內，再將蒸汽通過熱風循環吹散到鞋面上，可以軟化各種真皮皮料，使其達到最佳定型效果。

Adjustable steam system, which can soft all kinds of real-skin materials and make perfect shapely efficiency.

規格 SPECIFICATION

機 型 MODEL	TYPE-A(4通道/6通道)	TYPE-B(4通道/6通道)
機械尺寸 DIMENSION	L3500xW1050xH1400 / L3500xW1410xH1400 mm	L4500xW1050xH1400 / L4500xW1410xH1400 mm
淨 重 N.W.	750 / 1000 kgs	850 / 1100 kgs
總 電 力 TOTAL POWER	20.6 KW / 26.6 KW	24.5 KW / 31.7 KW
產 量 PRODUCTIVITY	1600-2000 Pairs/8hr	2000-2400 Pairs/8hr

DS-926T 渦流式加熱定型機  
TURBO JET



特點 FEATURES

- ◎ 採用高溫蒸汽及強渦流熱風對鞋面進行加熱，使鞋面急速軟化緊貼楦頭，達到極佳的熱定型效果。

With high-temperature and high-pressure heat, the vamp can be formed with excellent effects.

規格 SPECIFICATION

機 型 MODEL	926TA	926TB	926TC
機械尺寸 DIMENSION	L1950xW700xH1100 mm	L2550xW1100xH1100 mm	L1950xW1300xH1100 mm
淨 重 N.W.	245 Kgs	285 Kgs	480 Kgs
總 電 力 TOTAL POWER	1.95 KW	2.55 KW	1.95 KW
產 量 PRODUCTIVITY	1800 Pairs/8hr	2200 Pairs/8hr	3200 Pairs/8hr

DS-926 自動急速加熱定型機  
AUTO RAPIDLY HIGH EFFICIENT HEAT SETTING MACHINE



特點 FEATURES

- ◎ 以不銹鋼鐵網輸送傳動，配合定時器及光電傳感器控制，可精確控制時間、速度和行程。

The shoes are transported by the conveyor, for matching the electronic timer and photo-electronic system in order to control time, speed and passage.

規格 SPECIFICATION

機 型 MODEL	TYPE-A	TYPE-B	TYPE-C
機械尺寸 DIMENSION	3500x1300x1310 mm	4500x1300x1310 mm	5500x1300x1310 mm
淨 重 N.W.	750 Kgs	950 Kgs	1150 Kgs
總 電 力 TOTAL POWER	23 KW	23 KW	32.6 KW
產 量 PRODUCTIVITY	1600 Pairs/8hr	2200 Pairs/8hr	2800 Pairs/8hr

DS-726TR 炫風冷凍定型機  
DAZZLE WIND FROZEN SETTING MACHINE



特點 FEATURES

1. 本機採用螺旋式冷凍定型輸送，冷凍定型時間長。
  2. 採用特殊製冷系統，熱交換效果好，製冷功能強，能在短時間內迅速將溫度降到0度以下（操作溫度+5/-15度）。
  3. 出入口加裝風牆，減少箱體內部與外部的冷熱傳遞。
1. DS-726TR takes spiral freezer conveyor stereotypes, stereotypes long freezing time.
  2. DS-726TR using special cooling system, good heat exchange effect, the cooling function is strong: the temperature can quickly drops below 0 degrees in a short time (operating temperature + 5 / -15 degrees).
  3. Entrance installation of the wind wall, reducing inner and external of hot and cold transfer.

規格 SPECIFICATION

機 型 MODEL	DS-726TR
機械尺寸 DIMENSION	L3800xW1350xH2100 mm
淨 重 N.W.	1500Kg
總 電 力 TOTAL POWER	8.5KW
產 量 PRODUCTIVITY	2000 pairs/8hours ( 冷卻時間長達10分鐘/ cooling process period is 10 mins )

DS-726TN 先進渦流式恒溫急速冷凍定型機  
INNOVATION TURBO REFRIGERATING MACHINE



特點 FEATURES

- 採用渦流式冷風原理；風自上往下吹，風量大且風速強，易將冷風切入滲透鞋面，迅速將鞋子冷凍定型，有效提高生產量。

The refrigeration system adopt the turbo principle make the wind blowing from top to down, the wind flow is strong and the wind speed is quickly; Cold-air is blown into penetrate the vamp hence it can save time and increase output.

規格 SPECIFICATION

機 型 MODEL	DS-726TN-S	DS-726TN-L
機械尺寸 DIMENSION	L2400xW1250xH1400 MM	L3400xW1250xH1400 MM
總 電 力 TOTAL POWER	7 KW	10 KW
產 量 PRODUCTIVITY	1000-1400 Pairs/8hr	2000-2500 Pairs/8hr

5

DS-726T 渦流式急速冷凍定型機  
TURBOFROST



特點 FEATURES

- 渦流式風道，強風，高速循環運轉，快速將冷氣滲入鞋面，縮短產品的製冷的時間，提高產能。

Turbo airflow, strong wind, running at high speed, cold air is blown into penetrate the vamp hence it can save time and increase output.

規格 SPECIFICATION

機 型 MODEL	TB標準型	TBH加高型	TA款品室	TAW小組式
機械尺寸 DIMENSION	L3400xW1250xH1330mm	L3400xW1100xH1630 mm	L2800xW850xH1330mm	L2800xW1250xH1330mm
總 電 力 TOTAL POWER	9.3 KW	9.3 KW	6.4 KW	7 KW
產 量 PRODUCTIVITY	1800 Pairs/8hr	1800 Pairs/8hr	600 Pairs/8hr	1200 Pairs/8hr

DS-724AT 先進四箱迴轉式真空冷凍定型機  
ROTARY VACUUM REFRIGERATING MACHINE



特點 FEATURES

- 採用密閉式製冷，不僅穩定處理箱內製冷效果，且減少冷氣損失。節省電力降低生產成本。

Use the enclosed refrigeration, not only the refrigeration effect stabilizing treatment, also reduced air conditioning losses. Save the electric power and reduces the production cost.

規格 SPECIFICATION

機 型 MODEL	TYPE-A	TYPE-B
機械尺寸 DIMENSION	L1850xW1400xH1610MM	L2150xW1650xH1840MM
總 電 力 TOTAL POWER	7 KW	7 KW
產 量 PRODUCTIVITY	600-900 Pairs/8hr	900-1200 Pairs/8hr

6



DS-308 3DUV噴塗生產線  
AUTOMATIC 360 PRIMING UV ULTRAVIOLET LIGHTING MACHINE



特點 FEATURES

◎ 把傳統人工噴處理劑/鞋底烘乾/冷卻降溫/UV破壞等多個工藝結合在一起，實現一機多用之功能，縮短流程周轉時間，減少機台占地空間，提高生產效率，減少作業人力。

It combines the traditional artificial spray; sole drying and UV damage craft together so as to shorten the turnaround time within the process, reduce the machine area, enhance the productivity, and saving the labor.

規格 SPECIFICATION

機 型 MODEL	DS-308
機械尺寸 DIMENSION	L5800xW2000xH2080mm
總 電 力 TOTAL POWER	43 KW
產 量 PRODUCTIVITY	4000-5000 Pairs/8hr

DS-306 立體式UV照射機  
3D UV ULTRAVIOLET LIGHTING MACHINE



特點 FEATURES

◎ 採用立體式360度全方位照射，自動卸料，人工少，效率高。

360 degree full three-dimensional radiation, automatic unloading, less labor, high efficiency.

規格 SPECIFICATION

機 型 MODEL	DS-306
機械尺寸 DIMENSION	L1850 x W1150 x H2060mm
淨 重 N.W.	675 Kg
總 電 力 TOTAL POWER	12.5 KW
產 量 PRODUCTIVITY	5000-6000 Pairs/8hr

DS-304 UV紫外線照射機  
UV VLRAVIOLET LIGHTING MACHINE



特點 FEATURES

可將不易黏著的材質高結晶性的HYTREL以及低極性的EPDN、EVA等材質，經過UV紫外線照射擦拭於鞋材上的UV處理劑，而引發聚合反應，使鞋材極性增強，變得容易黏著。溫度低適用於各種易熱變形材質之處理，操作容易，節省糊劑用量，日產量6000雙以上，省空間、省能源、無公害。

Apply UV curing compound on the surface of EVA or EPDN sole. After drying, let it pass through UV curing, polarity of the shoe material increase under this process, and this makes for easy adhesion. Low temperature; be used in things on change shape easily. Easy operation, high quality, minimize on glue usage. High production capacity over 6000 pairs per day. Save place, save energy, less pollute.

規格 SPECIFICATION

機 型 MODEL	DS-304
機械尺寸 DIMENSION	L2450xW1020xH2000mm
UV段尺寸 UV LIGHT AVAILABLE RANGE	L1200xW400xH1000mm
動 力 POWER	9 KW
淨 重 N.W	600 Kg
產 量 PRODUCTIVITY	6000 Pairs/8hr

特點 FEATURES

利用多段式恒溫逐漸降溫，其可精確控制烘箱溫度，可均勻調節中底品質與所需尺寸，溫差±1℃左右。主要用於EVA MODL恒溫定型輸送，單層DS-201日產量3000-3500雙。DS-202改進成雙層輸送，且上、下層單獨控溫，操作方便，節省空間，日產量可達6000-7000雙。

The conveyor is used in molding the EVA MODL with 4-5 grades automatic ic control hot wind heater, up and down temperature rapidly, better function on constant-temp. its temperature wave is 0.1. The DS-201 daily output is 3000-3500. And DS-202 two-layer EVA SOLE constant temp conveyor control up and saving space, the daily output is 6000-7000 pairs.

規格 SPECIFICATION

機 型 MODEL	DS-201	DS-202A
機械尺寸 DIMENSION	L8700xW1700xH1700mm	L8700xW1700xH2050mm
電 力 POWER	12.5 KW	91.5 KW
動 力 POWER	1HP	2HP
淨 重 N.W	1200 Kg	2000 Kg
產 量 PRODUCTIVITY	3000-3500 Pairs/24hr	6000-7000 Pairs/24hr

DS-201 EVA鞋底恒溫輸送機  
EVA SOLE CONSTANT TEMP CONVEYOR



DS-202A 雙層恒溫定型機  
TWO-LAYER EVA SOLE  
CONSTANT TEMP CONVEYOR



## DS-200A 橡膠EVA中、大底清洗機 RUBBER/EVA CLEANING EQUIPMENT

### 特點 FEATURES

超音波橡膠大底、中底清洗機採用超音波清洗技術，配合環保水性清潔劑，徹底清潔鞋底表面離型劑等油污，完全取代人工打粗及甲苯等溶劑的VOC污染，增加鞋底黏著效果；最高產量1200雙/小時。

Rubber, Injection EVA ultrasonic M/C Use microwave and aqueous detergent To replace surface roughing and Toluene Solvent VOC Problem. To add bounding.



### 規格 SPECIFICATION

機 型 MODEL	DS-200A-2 (2pairs)	DS-200A-3 (3pairs)	DS-200A-4 (4pairs)
機械尺寸 DIMENSION	L11500xW1080xH1200 mm	L11500xW1320xH1200 mm	L11500xW1650xH1200 mm
總 電 力 TOTAL POWER	66KW	97kw	150KW
淨 重 N.W	1800Kg	2200Kg	2750Kg
產 量 PRODUCTIVITY	800 pairs/hour	1200 pairs/hour	1600 pairs/hour

## DS-200B EVA中、大底清洗機 MIDSOLE CLEANER

### 特點 FEATURES

傳統熱壓中底及射出中底清洗機採用高壓噴洗技術，將熱水或環保中底清潔劑直接噴洗中底表面，徹底清潔中底表面離型劑等油污，完全取代人工打粗及甲苯等溶劑的VOC污染，增加中底UV照射及黏著效果。最高產量900雙/小時。

Compressed and Injection EVA cleaner Use high pressure spraying technology to Replace roughing and Toluene solvent VOC problem. To add UV primer and Bounding results.

### 規格 SPECIFICATION

機 型 MODEL	DS-200B
機械尺寸 DIMENSION	L7000xW1380xH1200mm
總 電 力 TOTAL POWER	50 KW
淨 重 N.W	500 Kg
產 量 PRODUCTIVITY	900 Pairs/hr



### 特點 FEATURES

小組生產清洗機採用先進LEAN生產技術，結合NPS管理，產品符合SOE規範。本清洗機採用超音波及噴洗技術，搭配環保清洗劑，有效取代打粗甲苯及MEK等VOC污染，增加黏著效果。

LEAN shoes cleaning machine is designed for NPS management and suitable SOE rule. This machine use ultrasonic and spray power to replace buffing, toluene and MEK solvent .Available for rubber and EVA cleaning.

### 規格 SPECIFICATION

機 型 MODEL	DS-240
機械尺寸 DIMENSION	L2500xW980xH1350mm
總 電 力 TOTAL POWER	36 KW
淨 重 N.W	300 Kg
產 量 PRODUCTIVITY	

## DS-240 小組生產清洗機 LEAN WASHING MACHINE



## DS-1800B/D 工業用除濕機 INDUSTRIAL DEHUMIDIFIER MACHINE

### 特點 FEATURES

- 1、需在密閉的空間運作，利用冷熱交換原理，使除濕空間的環境保持在55%的良好濕度。
- 2、自動濕度控制，耗電量少，達到經濟效益，使用範圍廣泛，效果顯著。
- 3、不鏽鋼排水槽設計，搭配排水管，免去倒水的作業。

1. Work in enclosed place, using hot and cold exchange principle, makes dehumidifying space environment to maintain 55% humidity.
2. Automatic humidity control, low power consumption, achieve economic efficiency, scope in a wide range, the effect is very significant.
3. Stainless drainage channels design with drain, replacing pour water jobs.

### 規格 SPECIFICATION

機 型 MODEL	DS-1800B	DS-1800D
機械尺寸 DIMENSION	L600 x W700 x H1450mm	L1400 x W800 x H1650mm
除濕能力 HUMIDITY CAPACITY	6.5 kg/hr	12 kg/hr
有效範圍 EFFECTUAL SPACE	130 M2	240 M2
最高周圍溫度 OUTSIDE TEMP	45oC	45oC
淨 重 N.W.	150 kgs	270 kgs
毛 重 G.W.	180 kgs	300 kgs
電 力 POWER	2.2 kw	4.2 kw

